

TL-RKMC-14

14 Slot Rack-Mount Media Converter Chassis with Two Integrated Power Supplies






Front View with Rack Ears and Port Covers Installed



Front View with Rack Ears and Port Covers Removed



SPECIFICATIONS

- High-quality 19-inch rackmount steel 2U chassis
- Supports up to 14 standalone media converters
- Two internal 100-265V universal switching power supplies
- Power supplies support load sharing

- Circuit breakers protect against over voltage and short circuits
- Slot power isolation ensures each slot is electrically isolated from the next
- 5V 12A output per power supply
- Compatible media converters: TL-MC-1S1R, TL-MC-1S1S, TL-MC-1S2R, TL-MC-2SC1R-MM, and TL-MC-2SC1R-SM




NSIIndustries.com • (888) 235-2097 ©2025 NSI Industries


ENET_TL-RKMC-14_SpecSheet.pdf 250102

TL-RKMC-14





Top View with Rack Ears Installed



Media Converter Carrier Bracket



TECHNICAL SPECIFICATIONS

TL-RKMC-14



INPUTS AND OUTPUTS	
AC Input	IEC C14 (1 ea per power supply)
LED Indicators	Dual Color Status LED
DC 5V Output, 14 ea (Inside Chassis)	5.5 mm Outside Diameter, 2.6 mm Inside Diameter

POWER, ESD, AND REGULATORY	
Maximum Power Consumption per Supply	60W
Power Supply (2 ea)	100-265v AC Input, 5v 12A Output
Regulatory	FCC Class A, CE, UKCA, NDAA

ENVIRONMENTAL SPECIFICATIONS	
Operating Temperature (Environment)	0° to +50° C (32° to 122° F)
Storage Temperature (Environment)	-20° to +85° C (-4° to 185° F)
Operating Relative Humidity (Environment)	5% to 95% RH, Non-condensing

CHASSIS SPECIFICATIONS	
Enclosure	Painted aluminum and steel
Dimensions (H x W x D) with Rack Ears Installed	90mm (3.54 in) x 482mm (18.98 in) x 245mm (9.65 in)
Weight	6.68 kg (14.73 lb)

ACCESSORY SPECIFICATIONS	
Component Material	Painted steel
Small (1 Slot) Port Cover Dimensions (H x W x D)	86.5mm (3.41 in) x 29.75mm (1.17 in) x 1mm (0.04 in)
Large (4 Slot) Port Cover Dimensions (H x W x D)	86.5mm (3.41 in) x 120mm (4.72 in) x 1mm (0.04 in)
Media Converter Carrier Bracket Dimensions (H x W x D)	11mm (0.43 in) x 28.8mm (1.13 in) x 93mm (3.66 in)

